

## TP-3 pH TESTER

- Measures pH of clean water with low deposits content in rivers, lakes, ponds, pools etc. and temperatures up to 55 °C and the temperature of liquids in range 0 ÷ 55 °C .
- The results of the pH and temperature measurements are displayed simultaneously.
- Pocket-size and splash-proof housing enables work during rain.
- Fast stabilisation of the result.
- Automatic temperature compensation.
- 1-point calibration.
- The set includes powder from which 250 ml of the 6.86 pH buffer can be made.
- Long-lasting work on one battery set.
- Unreplaceable electrodes.
- Price close to standard pH electrode cost.
- 12-month warranty.
- We do not recommend the tester for chemical compounds or waste water measurements.
- One point calibration does not warrant accurate measurements is strong acids or alkalis.



### Technical Data

<b>Range</b>	0 ÷ 14 pH / 0 ÷ 55 °C
<b>Resolution</b>	0.01 pH / 0.1 °C
<b>Accuracy</b>	±0.1 pH / ±1°C
<b>ATC range</b>	5 ÷ 50 °C
<b>Calibration points</b>	1
<b>Electrode</b>	Unreplaceable
<b>Power</b>	4 x 1.5 V battery (LR44)
<b>Dimensions (mm) and weight</b>	170 x 36 x 23 / 91 g

**ELMETRON® Sp. j.**

41-814 Zabrze . Witosza 10 POLAND

tel. +48 32 2738106

[www.elmetron.pl](http://www.elmetron.pl) e-mail: [info@elmetron.com.pl](mailto:info@elmetron.com.pl)